FLAGSHIP C2 2312 0W-30

PRODUCT DESCRIPTION

FLAGSHIP C2 2312 0W-30 is a 100% synthetic high-performance engine lubricant, specially developed for the latest generation PSA group (Peugeot, Citroën and DS) BlueHDi diesel engines equipped with SCR (Selective Catalytic Reduction) systems and particulate filters (DPF).

This oil has been formulated to meet the strict PSA B71 2312 specification, designed for engines that must withstand very demanding thermal conditions and maintain perfect compatibility with modern exhaust gas treatment systems.

Thanks to its Mid SAPS technology, with reduced content of sulfated ash, phosphorus, and sulfur, this lubricant protects the components of the anti-pollution system such as SCR, catalysts, and particulate filters, extending their service life and maintaining the efficiency of the emission reduction system.
Its low viscosity and excellent cold flow properties allow rapid oil circulation at start-up, promoting immediate engine lubrication, a quick rise in oil pressure, and a significant reduction in internal friction. This translates into improved engine energy efficiency, reduced fuel consumption, and lower CO_2 emissions, contributing to compliance with Euro 4, Euro 5, and Euro 6 emission standards.

The 100% synthetic base with high thermal stability offers excellent oxidation resistance and prevents the formation of deposits, varnishes, and sludge, keeping the engine clean and protected even under severe operating conditions.

Main advantages
- Excellent fuel economy
- Mid SAPS technology compatible with SCR and DPF
- Advanced protection against wear and friction
- Excellent cold start fluidity
- High thermal stability and oxidation resistance
- Keeps the engine clean avoiding sludge and deposits
- Reduces CO_2 and pollutant emissions

Applications
Especially recommended for:
Peugeot BlueHDi vehicles
Citroën BlueHDi vehicles
DS Automobiles vehicles
Diesel engines with SCR and AdBlue
Engines with diesel particulate filter (DPF)
Also suitable for:
Some PSA gasoline engines
PSA diesel engines requiring ACEA C2 lubricants

sash@lubricantes-sash.com
+34 961 464 843
www.lubricantes-sash.com

The SASH brand and design are registered trademarks of ACEITES LUBRICANTES SASH,S.L

FLAGSHIP C2 2312 0W-30

PRESENTATION

Bulk	109433
1000 LTS.	107824
200 LTS.	107825
50 LTS.	107826
20 LTS.	107827
5 LTS.	107828
4 LTS.	107829
1 LT.	107830

QUALITY LEVEL

ACEA C2
PSA B71 2312
FORD WSS-M2C-934B
JRL 03.5007
HONDA
MITSUBISHI
SUZUKI
TOYOTA

TECHNICAL PROPERTIES

Property	Value
SAE GRADE	0W-30
VISCOSITY AT 100°C	9,3 - 12,50
VISCOSITY AT -35°C	<6200
HTHS AT-150°C	>2,9
VISCOSITY INDEX	170
FLASH POINT	225
POUR POINT	-48
SULPHATED ASH	<1
TBN	>6,0

SAFETY AND HYGIENE

Safety Data Sheets are available upon request and should be consulted to obtain detailed information on the proper handling and use of the product. The company is not responsible for damages resulting from improper use or failure to

sash@lubricantes-sash.com
+34 961 464 843
www.lubricantes-sash.com

The SASH brand and design are registered trademarks of ACEITES LUBRICANTES SASH,S.L

IMPORTANT NOTE

The information presented is based on current production data and may vary within the specified tolerances. Temperature ranges are provided for guidance only. The information and data contained in this document may be modified without prior notice. This information replaces and voids all previous editions.

sash@lubricantes-sash.com
+34 961 464 843
www.lubricantes-sash.com

The SASH brand and design are registered trademarks of ACEITES LUBRICANTES SASH,S.L